

GLOBE OVERSEAS PVT. LTD.

AIL

ont

TM.4524191

Globe

- MATERIAL HANDLING EQUIPMENT-Let's make lifting smarter

Our Certificates



		ell and Medium Ent	erprises	
RE	UD	YAM	ICATE	
	amail handa to ka you LARCE		÷	Si.
TUPE OF ENTINEMENT	масно		MANUFACTURE	NG
RAME OF ENTERING		UBYAM-DL- MS GLOBE OVERSEA		
NAME OF UNITS	Office 10(type Colliner Television) Office Television Office Television Office Television Office Television Office			
OFFICAL ADDRESS OF ENTERPRISE	Restlicentian A	7 Same Changes Sapagar Saus San Cap San Cap San Cap San Cap	Actes to the second sec	
DATE OF INCORPORATION / REGISTRATION OF ENTERPRISE		18451		
DATE OF COMMENCEMENT OF PRODUCTION BUSINESS		-	-	
NATIONAL INDUSTRY CLASSIFICATION CODE(3)	Ithe IRC Lings 1 It-Handbrick of methods and resigned Auto	NC citys Mits. Handbacks of thing with bandling spectrum	Str. 1 Bigs 2012 - Nanochoren of asker bandling sprophers and perio	anna Anna Anna
DATE OF LOYAN RECONTRATION		#1414	9d9	
Disci	arear This is computer gas Primed Burn Trape	where a strength and a strength of the strengt	n required.	
LINC DELINI				
MINS OF BELIE			c	BE A HAMPION with the Ministry of
Vet is a second place, age and	and these put as were supported to			MSME












Our Facilities










Hydraulic Scissor Table

170

Model - HST



Lifts are typically raised and lowered using a hydraulic control valve. This valve is often operated electronically but may be operated manually in primary elevators where the hand-driven mechanism can control the descending speed.

It is manufactured by several hydraulic lifting table manufacturers in the industry. For instance, the Central hydraulics scissor lift table is commonly used in the automotive repair industry for lifting vehicles and light trucks.

We are manufacturing high-quality Portable Hydraulic Scissor Lift Table upto 2 tons capacity which is also known as lifting tables. Light in weight, Compact structure which make handling traveling on work stations more easy and friendly. Heavy-duty Hydraulic cylinder and manual hand pump is fitted which gives maximum stroke length and less hand power.

We are one of the leading Hydraulic Lifting Table Manufacturers in India. It can be used for indoor and outdoor applications. Variable platform sizes and lift height can be provided as per customer need. No installation is required at site, ready to use product.

TECHNICAL SPECIFICATION

HYDRAULIC SCISSOR TABLE					
Model		HST-1.0	HST-1.5		
Capacity	Kg	1000	1500		
Maximum Height (H)	mm	1000	1250		
Lowered Height (L)	mm	435	450		
Platform Size (AxB)	mm	510*1015	600*1200		
Wheel Size (D)	mm	Dia 150	Dia 150		
Overall Dimensions (GxF)	mm	580*1180	700*1400		
Self Wt.	Kg	128	200		

Note :- Due to continuous development and improvement specification listed above may be changed without notice



GLOBE OVERSEAS PVT. LTD.

Registered Office: B-9, DSIIDC Engineering Complex, Mangolpuri Industrial Area, Phase -1, New Delhi — 110083 Ph:- 011-46802215 / 9811628456 | Email id:- goplseas@gmail.com | Web:- www.globeoverseas.org

Works - 1: F-76, Sector — 2, DSIIDC Industrial Area, Bawana, New Delhi — 110041 Works - 2: Kewat No. 646 Khasra No.178, Beri Kultana Road, Sampla, Distt. Rohtak, Haryana — 124501